

Issuing Date 04-Jan-2017

Revision Date 02-May-2017

Revision Number 2

Japan / English

1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier****Product Name** EpoKwick FC Hardener**Product Code(s)** 20-3453-032**(M)SDS Number** 1364499_J**Other means of identification****Synonyms** No information available**Registration Number(s)** No information available**Recommended use of the chemical and restrictions on use****Recommended Use** Laboratory Use Only**Uses advised against** No information available**Details of the supplier of the safety data sheet****Manufacturer** Buehler**Manufacturer Address** Loop-X 6th Floor 3-9-15
kaigan Minato-ku, Tokoyo 108-0022
www.buehler.com/Japan**Phone number** +81 (0)3 5439 5077**E-mail Address** info.japan@buehler.com**Emergency telephone number**

Global Access Code: 334545

Asia Pacific: +1 760 476 3960

Middle East/Africa: +1 760 476 3959

Japan: +81 36 8908677

Americas: +1 760 476 3962

Europe: +1 760 476 3961

2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapors)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Skin sensitization	Category 1

Specific target organ toxicity (single exposure)	Category 3
--	------------

Label elements**Signal word****Danger****Hazard statements**

H302 - Harmful if swallowed
 H312 - Harmful in contact with skin
 H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H331 - Toxic if inhaled
 H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection
 Wash hands thoroughly after handling
 Do not breathe dust/fume/gas/mist/vapors/spray
 In case of inadequate ventilation wear respiratory protection
 Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)
 Immediately call a POISON CENTER or doctor
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical name	Weight-%	ENCS - Japan Existing and New Chemical Substances	ISHL No.	CAS No
1,2-Ethanediamine, N-(2-aminoethyl)-, polymer with oxirane	> 60%	No information available	No information available	28063-82-3
Diethylene triamine	< 30%	(2)-159	No information available	111-40-0
Poly[oxy(methyl-1,2-etha	5 - 15%	No information available	No information available	39423-51-3

nediy)], .alpha.-hydro-.omega.-(2-aminomethylethoxy)-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)				
---	--	--	--	--

Pollutant Release and Transfer Registry (PRTR)

Not applicable.

Industrial Safety and Health Law

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	ISHL Notifiable Substances	Threshold Values (%)
Diethylene triamine 111-40-0	ISHL Notifiable Substances	0.1

Poisonous and Deleterious Substances Control Law Not applicable

4. FIRST AID MEASURES

First aid measures**General advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. May cause allergic respiratory reaction. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention. May produce an allergic reaction.

Symptoms

Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Combustible material: may burn but does not ignite readily. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated.
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous Combustion Products	Carbon oxides.
Special Extinguishing Media	Cool drums with water spray.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes.
--------------------------------	---

Storage

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	--

Incompatible materials Oxidizing agent. Acids. Bases.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Chemical name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Diethylene triamine 111-40-0	-	-	TWA: 1 ppm S*

Biological occupational exposure limits Not applicable

Engineering controls Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid
Appearance Clear
Odor Amine
Color No information available
Odor Threshold No data available

Property	Values	Remarks Method
pH	Alkaline	
Melting / freezing point	No data available	None known
Boiling point / boiling range	> 200°C °C	
Flash Point	> 100°C C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known

Vapor density	No data available	None known
Relative density	1.03 g/cm ³	
Water Solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	0 %
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Stability	Stable under normal conditions.
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Oxidizing agent. Acids. Bases.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity**Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause sensitization in susceptible persons.
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. May be absorbed through the skin in harmful amounts. Harmful in contact with skin.

Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. May cause additional affects as listed under "Inhalation".

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Itching. Rashes. Hives.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,080.00 mg/kg
ATEmix (dermal)	1,100.00 mg/kg
ATEmix (inhalation-dust/mist)	70.00 mg/L

Unknown acute toxicity

- 70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 70 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene triamine 111-40-0	= 1080 mg/kg (Rat)	= 672 mg/kg (Rabbit)	= 70 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitization	May cause sensitization by inhalation. May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Classification based on data available for ingredients. Contains a known or suspected reproductive toxin.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Percentage for unknown hazards 70 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Ecotoxicity Harmful to aquatic life. .

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Diethylene triamine	72h EC50: = 1164 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 345.6 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 592 mg/L (Desmodesmus subspicatus)	96h LC50: = 430 mg/L (Leuciscus idus) 96h LC50: = 1014 mg/L (Poecilia reticulata) 96h LC50: = 248 mg/L (Poecilia reticulata)	EC50 = 2000 mg/L 1 h EC50 = 96 mg/L 17 h	24h EC50: = 37 mg/L 48h EC50: = 16 mg/L

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Chemical name	Log Pow
Diethylene triamine	-1.3

Mobility in soil No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

IMDG/IMO

UN-No.	UN2735
Proper Shipping Name	POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing Group	III
EmS-No.	F-A, S-B
Description	UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III

ADR

UN-No.	UN2735
Proper Shipping Name	POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Description	UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III, (E)
Hazard Class	8
Packing Group	III
Special Provisions	274
Classification code	C7
Tunnel restriction code	(E)

IATA

UN-No.	UN2735
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing Group	III
ERG Code	8L
Description	UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III

Japan

UN Number	UN2735
Proper Shipping Name	POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing group	III
Special Provisions	223, 274

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture**National Regulations****Japan****Pollutant Release and Transfer Registry (PRTR)**

Not applicable

Industrial Safety and Health Law**Harmful Substances Whose Names Are to be Indicated on the Label**

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Fire Service Law:

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met

Chemical name	Fire service law group	Hazardous material	Hazard rank
Diethylene triamine 111-40-0	4	Flammable liquids	III

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Complies.
KECL	Complies.
PICCS	Complies.
AICS	Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	04-Jan-2017
Revision Date	02-May-2017
Revision Note	No information available

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

End of Safety Data Sheet