

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 30-Aug-2016

Revision Date 13-Apr-2017

Revision Number 2

EGHS / English

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name SampIKwick Liquid
Product Code(s) 20-3564, 20-3564-320, 20-3564-640, 20-3568
(M)SDS Number 1341291_E
Chemical name
Contains Isobutyl methacrylate

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Use Only.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Test & Measurement GmbH
Manufacturer Address Boschstraße 10
73734 Esslingen am Neckar / GERMANY
www.buehler-met.de www.buehler.fr www.buehler.co.uk
Phone number +49 (0) 711 4904690-0
E-mail Address lab.eu@buehler.com

1.4. Emergency telephone number

Global Access Code: 334545
Americas: +1 760 476 3962
Middle East/Africa: +1 760 476 3959
UK: +44 8 08 189 0979
Europe: +1 760 476 3961
Asia Pacific: +1 760 476 3960

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture**Regulation (EC) No 1272/2008**

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Contains Isobutyl methacrylate

**Signal word****Warning****Hazard Statements**

H226 - Flammable liquid and vapor
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation
 H400 - Very toxic to aquatic life
 H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P271 - Use only outdoors or in a well-ventilated area
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P312 - Call a POISON CENTER or doctor if you feel unwell
 P235 - Keep cool
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Isobutyl methacrylate	202-613-0	97-86-9	80 - 90%	Skin Irrit. 2 (H315) Flam. Liq. 3 (H226) STOT SE 3 (H335) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	
Trimethylopropane trimethacrylate	221-950-4	3290-92-4	10 - 20%	No data available	

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Isobutyl methacrylate	97-86-9	-
Trimethylopropane trimethacrylate	3290-92-4	-

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact

with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, Carbon dioxide (CO₂), Water spray, Alcohol resistant foam.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not breathe vapor or mist.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. Handle product only in closed system or provide appropriate exhaust ventilation.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Isobutyl methacrylate	-	-	-	-	TWA: 25 ppm

97-86-9					TWA: 145 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Isobutyl methacrylate 97-86-9	STEL 75 ppm STEL 450 mg/m ³ TWA: 50 ppm TWA: 300 mg/m ³	-	-	TWA: 50 ppm TWA: 300 mg/m ³ STEL: 75 ppm STEL: 375 mg/m ³	-

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Personal protective equipment

- Eye/face protection** Tight sealing safety goggles. If splashes are likely to occur, wear safety glasses with side-shields. None required for consumer use.
- Hand Protection** Wear suitable gloves. Impervious gloves.
- Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Odor	Characteristic
Color	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	Not applicable		
Melting / freezing point	-35°C	None known	
Boiling point / boiling range	155°C °C		
Flash Point	49°C C		
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	210 mm Hg @ 20°C	None known	
Vapor density	4.91	None known	
Relative density	0.901		
Water Solubility	0.47 g/l @ 20°C		
Solubility(ies)	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	296°C	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Viscosity	No data available	None known	

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	Not applicable
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks, Excessive heat.

10.5. Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). May cause redness, itching, and pain. Causes serious eye irritation.

Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	---

Numerical measures of toxicity**Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,786.00 mg/kg
ATEmix (dermal)	6,294.00 mg/kg
ATEmix (inhalation-gas)	700.00 ppm
ATEmix (inhalation-dust/mist)	0.50 mg/L
ATEmix (inhalation-vapor)	3.00 mg/L

Unknown acute toxicity

- 99.5 % of the mixture consists of ingredient(s) of unknown toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 83 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isobutyl methacrylate	= 6400 mg/kg (Rat)	-	-
Trimethylpropane trimethacrylate	= 5660 µL/kg (Rat)	= 16 mL/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Irritating to eyes.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isobutyl methacrylate	96h EC50: = 0.29 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 20 mg/L (Oncorhynchus mykiss)	-	48h EC50: = 23 mg/L
Trimethylopropane trimethacrylate	-	96h LC50: = 144 mg/L (Oncorhynchus mykiss) 96h LC50: = 160 mg/L (Pimephales promelas) 96h LC50: = 112 mg/L (Lepomis macrochirus)	-	-

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Chemical name	Log Pow
Isobutyl methacrylate	2.01

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Isobutyl methacrylate	Not applicable
Trimethylopropane trimethacrylate	Not applicable

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	No information available.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No.	UN1993
14.2 Proper Shipping Name Description	FLAMMABLE LIQUID, N.O.S. UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), 3, III, (49°C C.C.)
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Marine Pollutant Environmental hazard	Product is a marine pollutant according to the criteria set by IMDG/IMO Yes
14.6 Special Provisions EmS-No.	None F-E, S-E
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

RID

14.1 UN-No.	UN1993
14.2 Proper Shipping Name Description	FLAMMABLE LIQUID, N.O.S. UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), ENVIRONMENTALLY HAZARDOUS, 3, III
14.3 Hazard Class ADR/RID-Labels	3 3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions Classification code	None F1

ADR

14.1 UN-No.	UN1993
14.2 Proper Shipping Name Description	FLAMMABLE LIQUID, N.O.S. UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), ENVIRONMENTALLY HAZARDOUS, 3, III, (D/E)
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions Classification code Tunnel restriction code	None 274, 601, 640E F1 (D/E)

IATA

14.1 UN-No.	UN1993
14.2 Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), 3, III
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions	None

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No.	UN1993
14.2 Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), 3, III, (49°C C.C.)
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
Environmental hazard	Yes
14.6 Special Provisions	None
EmS-No.	F-E, S-E
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

RID

14.1 UN-No.	UN1993
14.2 Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), ENVIRONMENTALLY HAZARDOUS, 3, III
14.3 Hazard Class	3
ADR/RID-Labels	3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions	None
Classification code	F1

ADR

14.1 UN-No.	UN1993
14.2 Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), ENVIRONMENTALLY HAZARDOUS, 3, III, (D/E)
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions	None 274, 601, 640E
Classification code	F1
Tunnel restriction code	(D/E)

IATA

14.1 UN-No.	UN1993
14.2 Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.

Description	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOBUTYL METHACRYLATE), 3, III
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazard	Yes
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Isobutyl methacrylate 97-86-9	RG 65	-
Trimethylopropane trimethacrylate 3290-92-4	RG 65	-

Water hazard class (WGK) hazardous to water (WGK 2)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable.

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available.

Section 16: OTHER INFORMATION**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under sections 2 and 3**

H315 - Causes skin irritation
H226 - Flammable liquid and vapor
H335 - May cause respiratory irritation
H319 - Causes serious eye irritation
H317 - May cause an allergic skin reaction
H400 - Very toxic to aquatic life
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H373 - May cause damage to organs through prolonged or repeated exposure if inhaled
H331 - Toxic if inhaled
H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 01-Mar-2017

Revision Date 13-Apr-2017

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling,

use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet