

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 26-Aug-2016

Revision Date 13-Nov-2017

Revision Number 3

EGHS / English

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name PhenoCure Powder & PreMolds

Product Code(s) 20-3100-080, 20-3100-400, 20-3100-500, 20-3200-080, 20-3200-400, 20-3200-500, 20-3300-080, 20-3300-400, 20-3300-500, 20-3111-501, 20-3112-501, 20-3113-501, 20-10090, 20-3212-501, 20-3213-501, 20-331-501, 20-3313-501

(M)SDS Number 1346828_E

Chemical name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Use Only.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Test & Measurement GmbH

Manufacturer Address Boschstraße 10
73734 Esslingen am Neckar / GERMANY
www.buehler-met.de www.buehler.fr www.buehler.co.uk

Phone number +49 (0) 711 4904690-0

E-mail Address lab.eu@buehler.com

1.4. Emergency telephone number

Global Access Code: 334545
Americas: +1 760 476 3962
Middle East/Africa: +1 760 476 3959
UK: +44 8 08 189 0979

Europe: +1 760 476 3961
Asia Pacific: +1 760 476 3960

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

2.2. Label elements



Signal word

Danger

Hazard Statements

- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H317 - May cause an allergic skin reaction
- H341 - Suspected of causing genetic defects
- H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

- P201 - Obtain special instructions before use
- P260 - Do not breathe dust
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P264 - Wash hands thoroughly after handling
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P314 - Get medical advice/attention if you feel unwell
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Chemical name	EC No	CAS-No	Percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Phenol-formaldehyde polymer	-	9003-35-4	30 - 60%	No data available	
Mica	EEC No. 310-127-6	12001-26-2	10 - 20%	No data available	
Coal, anthracite	-	8029-10-5	1 - 10%	No data available	
Methenamine	202-905-8	100-97-0	1 - 10%	Flam. Sol. 2 (H228) Skin Sens. 1 (H317)	
Carbon black	Present	1333-86-4	1 - 10%	No data available	
Talc	Present	14807-96-6	1 - 10%	No data available	
Kaolin	310-194-1	1332-58-7	1 - 10%	No data available	
Graphite	231-955-3	7782-42-5	1 - 10%	No data available	
Cellulose	Present	9004-34-6	1 - 10%	No data available	
Calcium hydroxide	-	1305-62-0	1 - 10%	No data available	
Phenol	Present	108-95-2	1 - 3.5%	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) STOT RE 2 (H373) Muta. 2 (H341) Acute Tox. 3 (H331)	

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS-No	SVHC candidates
Phenol-formaldehyde polymer	9003-35-4	-
Mica	12001-26-2	-
Coal, anthracite	8029-10-5	-
Methenamine	100-97-0	-
Carbon black	1333-86-4	-
Talc	14807-96-6	-
Graphite	7782-42-5	-
Cellulose	9004-34-6	-
Calcium hydroxide	1305-62-0	-
Kaolin	1332-58-7	-
Phenol	108-95-2	-

Section 4: FIRST AID MEASURES**4.1. Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.

Skin contact	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	---

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
<u>6.2. Environmental precautions</u>	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
<u>6.3. Methods and material for containment and cleaning up</u>	
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
<u>6.4. Reference to other sections</u>	
Reference to other sections	See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not breathe dust. Avoid generation of dust. Handle product only in closed system or provide appropriate exhaust ventilation.
--------------------------------	---

General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace.
---------------------------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.
---------------------------	--

7.3. Specific end use(s)

Risk Management Methods (RMM)	The information required is contained in this Material Safety Data Sheet.
--------------------------------------	---

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	EU	United Kingdom	France	Spain	Germany
Mica 12001-26-2	-	STEL: 2.4 mg/m ³ STEL: 30 mg/m ³ TWA: 0.8 mg/m ³ TWA: 10 mg/m ³	-	TWA: 3 mg/m ³	-
Carbon black 1333-86-4	-	STEL: 7 mg/m ³ TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-
Talc 14807-96-6	-	STEL: 3 mg/m ³ TWA: 1 mg/m ³	-	TWA: 2 mg/m ³	-
Kaolin 1332-58-7	-	STEL: 6 mg/m ³ TWA: 2 mg/m ³	TWA: 10 mg/m ³	TWA: 2 mg/m ³	-
Graphite 7782-42-5	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	-
Cellulose 9004-34-6	-	STEL: 20 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³ TWA: 1 mg/m ³	TWA: 10 mg/m ³	-
Calcium hydroxide 1305-62-0	TWA 5 mg/m ³ existing scientific data on health effects appear to be particularly limited	STEL: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 1 mg/m ³
Phenol 108-95-2	S* TWA: 2 ppm TWA: 8 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ TWA 7.8 mg/m ³ TWA 2 ppm	STEL: 4 ppm STEL: 16 mg/m ³ TWA: 2 ppm TWA: 7.8 mg/m ³ Sk*	TWA: 2 ppm TWA: 7.8 mg/m ³ * STEL: 4 ppm STEL: 15.6 mg/m ³	vía dérmica* STEL: 4 ppm STEL: 16 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ S*
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Mica 12001-26-2	-	TWA: 3 mg/m ³	-	-	-
Carbon black 1333-86-4	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³
Talc 14807-96-6	-	TWA: 2 mg/m ³	TWA: 0.25 mg/m ³	TWA: 0.5 fiber/cm ³ STEL: 2 ppm STEL: 1 ppm	TWA: 0.3 fiber/cm ³
Kaolin 1332-58-7	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Graphite 7782-42-5	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2.5 mg/m ³
Cellulose 9004-34-6	-	TWA: 10 mg/m ³	-	-	-
Calcium hydroxide 1305-62-0	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
Phenol 108-95-2	TWA: 2 ppm TWA: 7.8 mg/m ³	STEL: 4 ppm STEL: 16 mg/m ³	H* TWA: 8 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³	TWA: 1 ppm TWA: 4 mg/m ³

	pelle*	TWA: 2 ppm TWA: 8 mg/m ³		STEL: 4 ppm STEL: 16 mg/m ³ iho*	H*
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Mica 12001-26-2	TWA: 10 mg/m ³	TWA: 3 mg/m ³	-	TWA: 6 mg/m ³ TWA: 3 mg/m ³ STEL: 12 mg/m ³ STEL: 6 mg/m ³	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³
Coal, anthracite 8029-10-5	-	-	-	-	TWA: 0.4 mg/m ³ STEL: 1.2 mg/m ³
Methenamine 100-97-0	-	-	TWA: 4 mg/m ³	TWA: 3 mg/m ³ STEL: 6 mg/m ³	-
Carbon black 1333-86-4	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³ STEL: 15 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 6 mg/m ³ TWA: 2 mg/m ³ STEL: 12 mg/m ³ STEL: 4 mg/m ³	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³
Kaolin 1332-58-7	-	TWA: 3 mg/m ³	TWA: 10.0 mg/m ³	-	TWA: 2 mg/m ³
Graphite 7782-42-5	STEL 10 mg/m ³ TWA: 5 mg/m ³	TWA: 2.5 mg/m ³ TWA: 5 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³ TWA: 6.0 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 4 mg/m ³ STEL: 20 mg/m ³ STEL: 8 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Cellulose 9004-34-6	-	TWA: 3 mg/m ³ TWA: 2 mg/m ³	-	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 20 mg/m ³ STEL: 12 mg/m ³
Calcium hydroxide 1305-62-0	STEL 4 mg/m ³ TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 15 mg/m ³
Phenol 108-95-2	H* STEL 4 ppm STEL 16 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³	H* STEL: 5 ppm STEL: 19 mg/m ³ TWA: 5 ppm TWA: 19 mg/m ³	P* STEL: 16 mg/m ³ TWA: 7.8 mg/m ³	TWA: 1 ppm TWA: 4 mg/m ³ H* STEL: 3 ppm STEL: 12 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ Sk*

Biological occupational exposure limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Phenol 108-95-2	-	-	Urine : 250 mg/g creatinine	120	120 mg/g
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Phenol 108-95-2	-	-	-	1.3	-
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Phenol 108-95-2	-	250	-	-	120 mg/g creatinine

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields. None required for consumer use.
Hand Protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Granular
Appearance	Black Red Green
Odor	Phenolic
Color	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air	No data available	None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Virtually insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	Not applicable
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). May cause redness, itching, and pain. Causes serious eye irritation.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). May cause irritation. Prolonged contact may cause redness and irritation. Toxic in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).

Information on toxicological effects

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	703.00 mg/kg
ATEmix (dermal)	636.00 mg/kg
ATEmix (inhalation-gas)	707.00 ppm
ATEmix (inhalation-dust/mist)	0.51 mg/L
ATEmix (inhalation-vapor)	3.00 mg/L

Unknown acute toxicity

- 98 % of the mixture consists of ingredient(s) of unknown toxicity
- 85 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 98 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Phenol-formaldehyde polymer	> 5 g/kg (Rat)	> 2 g/kg (Rat)	-
Methenamine	= 9200 mg/kg (Rat)	-	-
Carbon black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Cellulose	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Calcium hydroxide	= 7340 mg/kg (Rat)	-	-
Phenol	= 317 mg/kg (Rat) = 340 mg/kg (Rat)	= 630 mg/kg (Rabbit)	= 316 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	EU - Annex VI Mutagens
Phenol	Muta. 2

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methenamine	-	96h LC50: 44600 - 55600 mg/L (Pimephales promelas)	-	48h EC50: 29868 - 43390 mg/L
Carbon black	-	-	-	24h EC50: > 5600 mg/L
Talc	-	96h LC50: > 100 g/L (Brachydanio rerio)	-	-
Calcium hydroxide	-	96h LC50: = 160 mg/L (Gambusia affinis)	-	-
Phenol	96h EC50: = 46.42 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.0188 - 0.1044 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 187 - 279 mg/L (Desmodesmus subspicatus)	96h LC50: 11.9 - 50.5 mg/L (Pimephales promelas) 96h LC50: 20.5 - 25.6 mg/L (Pimephales promelas) 96h LC50: = 32 mg/L (Pimephales promelas) 96h LC50: 5.449 - 6.789 mg/L (Oncorhynchus mykiss) 96h LC50: 7.5 - 14 mg/L (Oncorhynchus mykiss) 96h LC50: 4.23 - 7.49 mg/L (Oncorhynchus mykiss) 96h LC50: 5.0 - 12.0 mg/L (Oncorhynchus mykiss) 96h LC50: 11.9 - 25.3 mg/L (Lepomis macrochirus) 96h LC50: = 11.5 mg/L (Lepomis macrochirus) 96h LC50: = 13.5 mg/L (Lepomis macrochirus) 96h LC50: 34.09 - 47.64 mg/L (Poecilia	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min	48h EC50: 4.24 - 10.7 mg/L 48h EC50: 10.2 - 15.5 mg/L

		reticulata) 96h LC50: = 31 mg/L (Poecilia reticulata) 96h LC50: = 27.8 mg/L (Brachydanio rerio) 96h LC50: = 0.00175 mg/L (Cyprinus carpio) 96h LC50: 33.9 - 43.3 mg/L (Oryzias latipes) 96h LC50: 23.4 - 36.6 mg/L (Oryzias latipes)		
--	--	--	--	--

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential**Bioaccumulation**

Chemical name	Log Pow
Phenol	1.5

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Methenamine	
Carbon black	
Graphite	
Calcium hydroxide	
Phenol	Not applicable

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging No information available.

Section 14: TRANSPORT INFORMATION

IMDG/IMO	NOT REGULATED
14.1 UN-No.	Not Regulated
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Marine Pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

RID	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

ADR	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IATA	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NON REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

Section 14: TRANSPORT INFORMATION

IMDG/IMO	NOT REGULATED
14.1 UN-No.	Not Regulated
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Marine Pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

RID	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED

14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

ADR	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IATA	NOT REGULATED
14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NON REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Phenol-formaldehyde polymer 9003-35-4	RG 43	-
Mica 12001-26-2	RG 25	-
Carbon black 1333-86-4	RG 16, RG 16bis	-
Talc 14807-96-6	RG 25 -	-
Graphite 7782-42-5	RG 16 RG 25	-
Cellulose 9004-34-6	RG 66 RG 47	-
Phenol 108-95-2	RG 14	-

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Cellulose - 9004-34-6	Use restricted. See item 9[f].	

Persistent Organic Pollutants

Not applicable.

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

Named dangerous substances per Seveso Directive (2012/18/EU)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H317 - May cause an allergic skin reaction

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H341 - Suspected of causing genetic defects if inhaled
H331 - Toxic if inhaled
H350 - May cause cancer if swallowed

Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 01-Mar-2017

Revision Date 13-Nov-2017

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

End of Safety Data Sheet